





Marwi® Group is one of the most globally organized manufactures in the bicycle industry, with production sites and offices in 5 countries (Taiwan, Indonesia, Netherlands, Czech Republic and Germany).

With a total of approximately 500 employees, **Marwi® Group** is one of the largest pedal manufacturers in the world.

Marwi® Group has dedicated itself to develop a new generation of pedals with the best performance on the world's stage. With over 30 years' experience in the bicycle industry, every step we take will be made to provide better riding equipment and innovative design.

With newly established automatic production lines in Marwi Taiwan, we are...

Ready for the future!

"XERAMA" was established as the English name of the founding Taiwanese company as well as the brand name.

1992 "P.T. Xerama Bicycle Industrial" was founded in Tangerang/Indonesia.

1995 "Marwi International A/S" obtained the UNION® brand.

"Marwi International A/S" merged with
"Xerama Taiwan" and "Xerama Indonesia"
into the new "Marwi Group". The Marwi
Group owned from now on the brands
UNION®, Ti-Dye®, and nightpro®.



2000 Marwi Europe's headquarters in the Netherlands was founded.

Marwi Taiwan took the annual award for bicycle accessoires in the ''innovative product awards'' from the TBEA (Taiwan Bicycle Exporter's Association).

2009 Marwi won the 11th Taiwanese "overseas businessman award" from MOEA.

2010 Marwi Europe moved into their new office building.

2011 Marwi Taiwan completed their new office and factory building.

2012 Marwi Taiwan celebrate their 30th year anniversary.

2013 Marwi Taiwan set up automatic production lines for pedals and saddles.

2014 Marwi Taiwan installed the first robots in the Taiwan bike industry.

2015 Marwi Taiwan completed the first fully automatic pedal assembly line.

2016 Marwi Taiwan opened its own moulding factory.





2017 Marwi Taiwan installed robot automated aluminium die-casting.

2018 Marwi Taiwan installed their second saddle foaming carousel machine.

Marwi introduced the patented SANDBLOCK® pedal technology.

2020 Marwi Taiwan starts building a new factory.

2021 Marwi Taiwan finished building the new factory.

2022 Marwi Group is Ready for the future!







Fully Computerized Production Control System

- "One touch" overview by tablets
- Monitored on every production level












Robotized Automatic Warehouse System

 Fully automized product picking system



















Vacuum saddle production carouse

Rigorous Fatigue Testing

In our new Quality Control Laboratory we investigate the products and components with the newest testing equipment.

We examine permanently with static and dynamic strength and durability tests, deep temperature impact tests, etc...













Quality-Inspection

According to our QA/QC-System we control with several QC-tests the various production steps. Furthermore we check the numerous quality parameters of components and products, like hardness, dimensions, water resistance, environmental and chemical resistance (salt spray test) and others...












Pedal Bearing Systems



heat-treated boron steel axle

CONTENT

- 12 27 UNION Pedals
- 28 29 Selle San Remo Saddles
- 30 33 SSR Pro Saddles
- 34 35 UNION Steel & Aluminium Hubs
- 36 37 UNION E-Bike Lights
- 38 40 UNION Dynamo Lights & Dynamos
- 41 42 UNION Battery Lights
 - 43 UNION Li-lon Battery Lights
- 44 45 UNION Cycle Computers
- 46 47 BikeTool Bicycle Tools
- 48 49 UNION Bicycle Chains
- 50 57 UNION Gear Hangers
- 58 61 UNION Bicycle Bearings
- 62 65 UNION Disc Brake Pads
- 66 67 UNION Brake Shoes
- 68 69 UNION Cable & Wire
- 70 75 UNION MTB / Trekking Parts











AXLE



REFLECTOR



BEARING

NCS Needle+Cartridge System CCS Cartridge + Cartridge System

CBS Cartridge+Bushing System (BA) Lightweight Ball type, adjustable

BA Ball type, adjustable

Ball type, classic NB Non-Ball type,adjustable

BL Ball less

BODY

- (SA) Sand blasting+Anodized color
- (SD) Sand blasting+ED black
- (ED) ED black
- (CNC) Body corner with CNC processed

CAGE

- AL, Aluminium
- Steel
- NL. Nylon Anodized
- Black anodized
- Black coated
- PC, Powder-coated CNC CNC processed



is the official logo and MARWI's registered trademark of a patented compound of materials to achieve a wear-resistant high quality non-slip pedal tread area. Due to a special, waterproof technology the non-slip inlay cannot be peeled off from the pedal cage.



Features:

- Tread surfaces made of **SANDBLOCK** [®] connected to the body by a chemical process.
 - For the SANDBLOCK * non-slip compound a patent is pending.
- The anti-slip function of the **SANDBLOCK** * material outperforms compared to standard sandpaper.
- Standard sandpaper tread area separates very easy from the pedal body, SANDBLOCK @ does not!



SP-880 SBL BLACK BR LBA BS



Body: PP with SANDBLOCK® non-slip inlay

118 x 88 mm Weight: 341 gram/pair

SP-827 SBL BLACK BR LBA BS



Body: PP with SANDBLOCK® non-slip inlay 111 x 90 mm Weight: 348 gram/pair

SP-828 BLACK SBL BR LBA ED BS



Aluminum with PP and **SANDBLOCK®** non-slip inlay

111 x 90 mm Size: Weight: 494 gram/pair

SP-890 / SP-2890 SBL BLACK



Aluminium with SANDBLOCK® non-slip inlay

118 x 88 mm Size: Weight: 506 gram/pair

SP-827 SBL



Body: PP with SANDBLOCK® non-slip inlay 111 x 90 mm Weight: 348 gram/pair

SP-828 SBL BLACK



Aluminum with PP and **SANDBLOCK®** non-slip inlay

111 x 90 mm Size: Weight: 494 gram/pair

SP-1210 BLACK



 Body:
 AL-6061 Extrusion T6

 Size:
 104 × 100mm

 Weight:
 304 gram/pair

SP-1300 SILVER



 Body:
 AL-6061 Extrusion T6

 Size:
 110 × 100mm

 Weight:
 416 gram/pair



 Body:
 AL-6061 Extrusion T6

 Size:
 110 × 100 mm

 Weight:
 414 gram/pair



101 × 100mm

Weight: 336 gram/pair







 Body:
 AL-6061 Extrusion T6

 Size:
 110 × 100 mm

 Weight:
 412 gram/pair

SP-1082



 Body:
 AL-6061 Extrusion T6

 Size:
 111 × 100mm

 Weight:
 334 gram/pair







 Body:
 AL-6061 Extrusion T6

 Size:
 97 × 100mm

 Weight:
 300 gram/pair

SP-1091



Body: One piece aluminium Size: 97 × 100mm Weight: 347 gram/pair SP-2150
CM CBS SD BS SO



 Body:
 One piece aluminium

 Size:
 99 × 72 mm

 Weight:
 314 gram/pair

SP-2160
CM (BS SD BS SO



 Body:
 One piece aluminium

 Size:
 101 × 87mm

 Weight:
 339 gram/pair

SP-308

BR CCS SD BS SO



 Body:
 One piece aluminium

 Size:
 114 × 109 mm

 Weight:
 635 gram/pair

SP-2309
CM NCS SD BS SO



 Body:
 One piece aluminium

 Size:
 111 × 100 mm

 Weight:
 592 gram/pair

SP-1055
CM CBS SA BS SO



 Body:
 AL-6061 Extrusion T6

 Size:
 100 × 73mm

 Weight:
 250 gram/pair

SP-2712
CM C85 (SA) B5 SO



 Body:
 AL-6061 Extrusion T6

 Size:
 90 × 59mm

 Weight:
 204 gram/pair

SP-2714



 Body:
 AL-6061 Extrusion T6

 Size:
 95 × 73mm

 Weight:
 234 gram/pair

SP-160 BR LBA SD BS SO



Body: One piece aluminium Size: 107 × 87mm Weight: 348 gram/pair

SP-2600 CM CBS SD CNC BS SO



One piece aluminium & CNC side Body: 102 × 78mm Size: Weight: 290 gram/pair

SP-2661 CM CBS BS SI or SO AL BA



Aluminium with cage Body: 102 × 76mm Size: Weight: 250 gram/pair

SP-2671







Aluminium with cage Body: 88 × 76mm Size: Weight: 252 gram/pair

SP-2612 BR LBA BS SI OF SO





Body: Aluminium with cage 107 × 81mm Size: Weight: 283 gram/pair

SP-2662



AL BA



Body: Aluminium with cage Size: 102 × 76mm Weight: 272 gram/pair

SP-2672







Aluminium with cage 88 × 76mm Weight: 245 gram/pair

SP-1092 BR LBA SD



Body: One piece aluminium 97 × 100mm Weight: 350 gram/pair

SP-600













Body: One piece aluminium & CNC side 102 × 78mm Weight: 274 gram/pair



SP-610
BR BA SD CNC BS or TW SO

SP-610 BLACK
BR BA SD BS of TW SO

SP-510 SILVER
BR BA BS OF TW SO



Body: One piece aluminium & CNC **Size:** 105 × 81 mm

Body: One piece aluminium
Size: 105 × 81 mm
Weight: 374 gram/pair

SP-102

BR BA BS SO



 Body:
 One piece aluminium

 Size:
 105 × 79mm

 Weight:
 368 gram/pair

SP-120
BR BA BS OF TW SO

Weight: 374 gram/pair



Body: One piece aluminium (different color options)

Size: 108 × 102mm

Weight: 434 gram/pair

SP-108
BR BA BS or TW SO



Body: One piece aluminium

Stze: 111 × 115mm

Weight: 518 gram/pair

SP-309

Body:

Size:



One piece aluminium (different color options)

110 × 100mm

Weight: 470 gram/pair

Body: One piece aluminium

Size: 113 × 100 mm

Welght: 570 gram/pair

SP-311

BR BA BS SI OF SO

ST PC or AL AN



Body: Aluminium with cage
Size: 102 × 63mm
Weight: 360 gram/pair

SP-910

BR BA BS SI OF SO

ST PC OF AL AN



 Body:
 Aluminium with cage

 Size:
 102 × 63mm

 Weight:
 370 gram/pair



ST PC or AL AN



Size: 102 × 79mm Weight: 316 gram/pair

SP-931T BR BA BS SI OF SO ST, PC OF AL AN



102 × 79mm Size: Weight: 316 gram/pair

SP-151 BR BA BS

NL





Function: foldable to both sides Body: Aluminium body/Nylon cage Size: 110 × 70mm Weight: 425 gram/pair



NL.



Function: foldable to both sides Body: Aluminium body/Nylon cage with non-slip inlay 110 × 70mm Size: Weight: 470 gram/pair



SP-823 BR LBA BS



Body:	Aluminium with PP and non-slip inlay	
Size:	103 × 78 × 26mm	
Weight:	291 gram/pair	

SP-821 BR (BA) BS



Body:	Aluminium with PP and non-slip inlay	
Size:	104 × 82 × 26mm	
Weight:	316 gram/pair	

SP-828



Body:	Aluminium with PP and non-slip inlay	
Size:	111 x 90mm	
Weight:	516 gram/pair	

SP-2823 BLACK CM CBS ED BS



Body:	Aluminium with PP and non-slip inlay
Size:	104 × 78 × 26mm
Weight:	280 gram/pair

SP-2821 BLACK



Body:	Aluminium with PP and non-slip inlay	
Size:	104 × 82 × 26mm	
Weight:	320 gram/pair	

SP-2828 BLACK



Body:	Aluminium with PP and non-slip inlay	
Size:	111 x 90mm	
Weight:	504 gram/pair	

SP-824



Body:	Aluminium with PP and non-slip inla
Size:	110 × 82 × 29mm
Weight:	412 gram/pair

SP-812
BR BA BS or TW



Body:	Aluminium with PP and non-slip inlay
Size:	112 × 81 × 29mm
Weight:	495 gram/pair

SP-810 BR BA BS or TW



Body:	Aluminium with non-slip inlay
Size:	103 × 69mm
Weight:	541 gram/pair

WION I Non-Slip / Two Component Pedals

SP-2811 CM CBS BS



SP-813 BR BA BS or TW







Body: Aluminium with non-slip inlay Size: 108 × 69mm Weight: 376 gram/pair

Body: Aluminium with non-slip inlay Size: 108 × 69mm Weight: 398 gram/pair

Body: PP with non-slip inlay 110 × 69mm Size: Weight: 290 gram/pair

SP-820 BR LBA BS or TW











PP with non-slip inlay Size: 104 × 82 x 26mm Weight: 280 gram/pair

Body: PP with non-slip inlay Size: 109 x 90mm Weight: 364 gram/pair

PP (black or grey) with Body: non-slip inlay (grey or black) Size: 108 × 74mm Weight: 366 gram/pair

SP-808 BR BA BS or TW



Weight: 370 gram/pair







PP (black) with non-slip inlay (grey) Body: Aluminium with PVC 108 × 69mm 108 × 78mm Weight: 500 gram/pair

PP (black or grey) with non-slip inlay (grey or black) Body: 108 × 78mm Weight: 368 gram/pair



SP-875
BR BA OF NB
BS OF TW SP-872N BR BA or NB or BL
BS or TW





SP-877
BR BA or NB or BL
BS or TW

Body:	PP
Size:	109 × 91mm
Weight:	286 gram/pair

Size: 108 × 84mm Weight: 292 gram/pair

Body: PP **Size:** 110 × 79mm Weight: 318 gram/pair

SP-202

SP-305

BR BA BS or TW

BR BA BS or TW







Body:	PP
Size:	114 × 83mm
Weight:	279 gram/pair

Body: Size: 104 × 90mm Weight: 324 gram/pair

Body: PP **Size:** 109 × 91 mm Size: Weight: 298 gram/pair

SP-300 BR BA or BL BS or TW







Body:	PP	
Size:	113 x 74mm	
Weight:	324 gram/pair	



Body:	PP
Size:	108 × 69mm
Weight:	284 gram/pair

SP-460 BR BA BS or TW



SP-420 CM LBA BS







Size: 110 × 100mm Weight: 305 gram/pair

Body: PP Size: 110 × 100mm Weight: 330 gram/pair Body: Nylon + 20% Glass Fiber Size: 110 × 100mm Weight: 338 gram/pair













Body: PP Size: 112 x 100mm Weight: 352 gram/pair Body: PP 110 × 100mm Size: Weight: 336 gram/pair

Nylon + 30% Glass Fiber (different color options) Body: 110 × 100mm Weight: 338 gram/pair













Body: PP 111 × 86mm Weight: 325 gram/pair Body: PP 113 × 87mm Size: Weight: 337 gram/pair

Body: PP 125 × 78mm Size: Weight: 386 gram/pair











Body: Size: 87 x 70mm Weight: 267 gram/pair

Body: PP with non-slip inlay(grey) Size: 97 x 72mm Weight: 332 gram/pair











Body: PP Size: 98 × 64mm Weight: 278 gram/pair

PP with non-slip inlay(grey) with additional side reflector Body: 97 x 72mm Weight: 334 gram/pair









SP-698K

BR BA or BL

BS or TW

Body: PP 95 × 64mm Size: Weight: 271 gram/pair

Body: PP (optional w/o reflector) Size: 91 × 65mm Weight: 270 gram/pair

Body: Size: 98 x 68mm Weight: 248 gram/pair

SP-687H BR BC BS or TW



Body: steel (galvanized) & PVC mixture Size: 117 × 76mm Weight: 572 gram/pair

SP-685H BR BC BS or TW



Body: steel (galvanized) & PVC mixture 118 × 79mm Weight: 562 gram/pair

SP-689 BR BC BS



Body: steel (galvanized) & PVC mixture 118 × 63mm Weight: 540 gram/pair

SP-687H WHITE BR BC BS or TW



Body: steel (galvanized) & PVC mixture Size: 117 × 76mm Weight: 572 gram/pair

SP-685H WHITE BR BC BS or TW



Body: steel (galvanized) & PVC mixture 118 × 79mm Size: Weight: 562 gram/pair

SP-689 WHITE BR BC BS



Body: steel (galvanized) & PVC mixture 118 × 63mm Size: Weight: 540 gram/pair

261 BR BC



Body: steel (galvanized) & PVC mixture Size: 122 × 58mm Weight: 625 gram/pair

265H BR BC



Body: steel (galvanized) & PVC mixture 118 × 72mm Size: Weight: 560 gram/pair

SP-689 BROWN BR BC BS



Body: steel (galvanized) & PVC mixture Size: 118 × 63mm Weight: 540 gram/pair





With horizontal balance weight Function: non slip home trainer pedal Body: PP with non-slip inlay (grey) 137 × 123mm Size: Weight: 660 gram/pair

SP-240



With horizontal balance weight Function: home trainer pedal Body: PP 137 × 123mm Size: Weight: 640 gram/pair

SP-209



Function: home trainer pedal Body: Size: 100 × 120mm Weight: 750 gram/pair

MT-1



• For use with straps Function: MTB/ATB toe clip Material: nylon

MT-2



• For strapless use Function: MTB/ATB toe clip Material: nylon

MT-11



• For use with straps Function: MTB/ATB toe clip Material: nylon

Reflector: integrated (approved, screw-in)

MT-13



• For use with straps Function: Road/Trekking toe clip

Material: PP

Reflector: integrated (approved, screw-in)

MT-14



• For strapless use Function: Road /MTB/Trekking toe clip

Material: PP

Reflector: integrated (approved, screw-in)

STRAP-N



Function: for use with MT-11 or MT-1 toe clip

Material: PP woven **Size:** 12.5 × 450mm

SP-5600







SP-5750

CM LBA







Clipless low profile "mud free" MTB pedal		
Body:	Aluminium, black coated	
Size:	81 × 65mm	
Weight:	298 (CrMo) gram/pair 254 (Titanium) gram/pair	
Cleat	LIM-1 inclusive Shimano 51	

compatible

Clipless low profile "mud" MTB pedal Aluminium, red coated option: white coated Body: Size: 81 × 65mm 298 (CrMo) gram/pair 254 (Titanium) gram/pair Weight: UM-1 inclusive, Shimano 51 Cleat: compatible

Clipless low profile "mud free" MTB pedal Aluminium, black coated 82 × 59mm Size: Weight: 334 gram/pair Cleat: UM-1 inclusive, Shimano 51 compatible

SP-5400 CM CBS





SP-5500

CM CBS



Clipless	RACE pedal	
Body:	Aluminium, polished	
Size:	80 × 65mm	
Weight:	310 gram/pair	
Cleat:	UM-1 inclusive, Shimano 51 compatible	



SP-5700K

Clipless low profile RACE pedal Body: Aluminium, silver coated Size: 84 × 91 mm Weight: 294 gram/pair Cleat: UR-5 (Look ARC compatible) inclusive

SP-5700 CM or T CBS



Clipless	low profile RACE pedal
Body:	Aluminium, high polished
Size:	80 × 92mm
Weight:	294(CrMo) gram/pair 250(Titanium) gram/pair
Cleat:	UR-5 (Look ARC compatible) inclusive





Clipless low profile RACE pedal, for use in combination with innovative URK cleats		
Body:	Aluminium, silver coated	
Size:	78 × 91mm	
Weight:	326(CrMo) gram/pair 282(Titanium) gram/pair	
Cleat:	URK-6 (Look KEO compatible) inclusive	





combine	ation with innovative URK cleats
Body:	Aluminium, black coated option: white or red coated
Size:	78 × 91 mm
Weight:	326(CrMo) gram/pair 282(Titanium) gram/pair
Cleat:	URK-6 (Look KEO compatible) inclusive

Clipless low profile RACE pedal, for use in

SP-5800 CM CBS BS AL BA



Dual-Function Trekking-Bike pedal, with "non slip" elastomer tread

Aluminium, ball polished Body: 101 × 65mm Size: Weight: 354 gram/pair

UM-1 inclusive, Shimano 51 Cleat:

compatible

SP-5850 CM LBA BS AL BA



Dual-Function Trekking-Bike pedal, with "non slip" elastomer tread

Body: Aluminium, ball polished 102 × 65mm Size: Weight: 372 gram/pair

UM-1 inclusive, Shimano 51 Cleat:

compatible

SP-5900 CM CBS AL BA



Dual-Function MTB pedal, with reinforced axle and bearings

Body: Aluminium, ball polished Size: 105 × 65mm Weight: 446 gram/pair

UM-1 inclusive, Shimano 51 Cleat:

compatible

UM1



UR5



UR6



- MTB cleat, black coated, with improved
- mud clearance

 Shimano 51 compatible

 4° lateral float
- Set with 2 cleats / 2 washers / 4 screws

Material: CrMo (SCM-415) Weight: 54 gram/set

- Racing cleat, "float", red
 Look "ARC" compatible
 9° lateral float
- Set with 2 cleats / 6 washers / 6 screws

Material: reinforced Nylon Weight: 88 gram/set

- Racing cleat, black
 Look "ARC" compatible
 3° lateral float
- Set with 2 cleats / 6 washers / 6 screws

Material: reinforced Nylon Weight: 88 gram/set

URK-0



- Racing cleat, Look KEO compatible
 Fix, (0° lateral float) / black
 Set with 2 cleats / 6 washers /6 screws

Material: reinforced Nylon & TPR

Weight: 52 gram/set

URK-6



- Racing cleat, Look KEO compatible
 6° lateral float / red
 Set with 2 cleats / 6 washers /6 screws

Material: reinforced Nylon & TPR

Weight: 52 gram/set

URK-9





- Racing cleat, Look KEO compatible
 9° lateral float / gray
 Set with 2 cleats / 6 washers /6 screws

Material: reinforced Nylon & TPR

Weight: 52 gram/set

BIKE CB Commuter bike EB E-bike KID Kids bike







VIENNA

EB CB VU ES EBR

Top:	PU
Base:	black PP + Glass fiber
Size:	252 × 222mm
Weight:	519 (steel) gram/pc





LINDAU
EB CB VU EBR

Тор:	PU
Base:	black PP
Size:	258 × 190mm
Weight:	443 (steel) gram/pc



LUGANO

EB CB VU/ES/EBR/

PU
black Nylon + Glass fiber
255 × 231mm
896 (steel) gram/pc



MONACO

EB CB (VU) (ES / (EBR/

Top:	PU
Base:	black PP + Glass fiber
Size:	255 × 220mm
Weight:	720 (steel) gram/pc





VERONA EB CB VU EBR

Top:	PU
Base:	black PP
Size:	265 × 200mm
Weight:	450 (steel) gram/pc



VARESE

B CB VU GEL EBR

Тор:	PU
Base:	black PP
Size:	265 × 200mm
Weight:	450 (steel) gram/pc



DONAU CB (HD /EBR/

Top:	PU
Base:	black PP + Glass fiber
Size:	258 × 186mm
Weight:	439 (steel) gram/pc



MOSEL CB (HD /EBR/

Тор:	PU
Base:	black PP + Glass fiber
Size:	280 × 171mm
Weight:	395 (steel) gram/pc





FOAM GEL w / Gel inlay

(HD) High density foam

(HR) High Resilience foam padded

RAIL SR Ø7mm steel rail
ES Elastomer
SPS Spring w / safety cover

ST | Satin steel rail EBR ED black steel rail

CLAMP | ∠ĈŜ∠Clamp set

MÂCON

EB CB VU EBR

Top: black PP + Glass fibe 275 ×162mm Packing: 20 pcs./carton



LIÈGE

EB CB VU EBR

PU Top: black PP + Glass fiber 257 × 215mm Packing: 20 pcs./carton Brown cover available



ZURIGO

EB CB VU EBR

Brown cover available



Top: black PP Base: 260 × 210mm Size: Packing: 20 pcs./carton

TORINO

ATB MTB VU EBR

black Nylon + Glass fiber 270 × 170mm Size: Packing: 420 (steel) gram/pc



TAUNUS

ATB MTB (HD)/EBR/

Top: Base: 249 × 157mm Size: Weight: 422 (steel) gram/pc



3220

CB HR SR SPS ZCS 3225 GEL

CB	(HR)	SED /S	R //SPS/	1
- 00			[] [31 3]	200

Vinyl (3220) Top: Base: black PP 252 × 225mm Packing: 20 pcs./carton Brown cover available





Vinyl (3240) Top: Base: black PP 251 × 219mm

Packing: 20 pcs./carton Brown cover available



PU (3245) Top: Base: black PP Size: 251 × 219mm Packing: 20 pcs./carton 3250

CB HR SR ES ZCSZ

3255 GEL CB HR GEL SR ES ZCS

Тор:	Vinyl
Base:	black PP
Size:	252 × 220mm

Packing: 20 pcs./carton



3110

ATB MTB HR SR ZCSL

black PP 260 × 160mm Packing: 20 pcs./carton



3130

ATB MTB HR SR / CSL

Top:	Vinyl
Base:	black PP
Size:	266 × 148mm
Packing:	20 pcs./carton



BIKE ATB ATB
MTB MTB
RB Road bike
LB Lady bike







VENTOUX



Top:	PU + Micro fiber
Base:	black Nylon + Glass fibe
Size:	285 × 125mm
Weight:	199(CrNi/Ti) gram/pc



VENTOUX WHITE

RB SL CNT

Гор:	PU + Micro fiber
Base:	black Nylon + Glass fiber
Size:	285 × 125mm
Weight:	199(CrNi/Ti) gram/pc



TOURMALET





Top:	PU + Micro fiber
Base:	black Nylon + Glass fiber
Size:	280 × 130mm
Weight:	234(CrNi/Ti) gram/pc



TOURMALET WHITE





Тор:	PU + Micro fiber
Base:	black Nylon + Glass fiber
Size:	280 × 130mm
Weight:	234(CrNi/Ti) gram/pc



POGGIO



Top:	PU + Micro fiber
Base:	black Nylon + Glass fibe
Size:	290 × 135mm
Weight:	225(CrNi/Ti) gram/pc



POGGIO WHITE

RB MTB SL CNT

Top:	PU + Micro fiber	
Base:	black Nylon + Glass fiber	
Size:	290 × 135mm	
Weight:	225(CrNi/Ti) gram/pc	



ARIZONA







ARIZONA WHITE

RB MTB HD S-CM

Тор:	PU
Base:	black Nylon + Glass fiber
Size:	278 × 135mm
Weight:	284(CrMo) gram/pc





FOAM SL Super-Light foam (HD) High density foam



RAIL CNT CrNi/Ti rail

F-CM Two toned CrMo rail

S-CM Satin CrMo rail

ST Satin steel rail
EBR ED black steel rail

MODANE

RB MTB HD S-CM

Top:	PU
Base:	black Nylon + Glass fib
Size:	290 × 135mm
Weight:	285(CrMo) gram/pc



MODANE WHITE

RB MTB (HD) S-CM

Тор:	PU
Base:	black Nylon + Glass fiber
Size:	290 × 135mm
Weight:	285(CrMo) gram/pc



BRAVURA

MTB (HD) S-CM

Тор:	PU
Base:	black Nylon + Glass fibe
Size:	280 × 135mm
Weight:	280(CrMo) gram/pc



BRAVURA WHITE

MTB (HD S-CM)

Тор:	PU
Base:	black Nylon + Glass fiber
Size:	280 × 135mm
Weight:	280(CrMo) gram/pc



ABRUZZO

MTB HD S-CM

Top:	PU
Base:	black Nylon + Glass fibe
Size:	280 × 136mm
Weight:	320(CrMo) gram/pc



ABRUZZO WHITE

MTB (HD)/S-CM/

Тор:	PU
Base:	black Nylon + Glass fiber
Size:	280 × 136mm
Wolaht	220/Critical gram/no



ARDÈCHE

RB MTB HD/ST/





PIEMONTE

MTB HD ST

Top:	Vinyl
Base:	black Nylon + Glass fiber
Size:	280 × 136mm
Weight:	360(steel) gram/pc



JURA MTB (HD) ST

Vinyl Top: Base: black Nylon + Glass fiber 280 × 135mm Size: Weight: 320(steel) gram/pc





BIKE ATB ATB MTB RB Road bike LB Lady bike







3438



Тор:	Micro fiber leather
Size:	285 × 125mm
Weight:	199 (CrNi/Ti) gram/pc



3436B ATB RB HD S-CM

PU leather Size: 295 × 150 mm Weight: 374 (CrMo) gram/pc



3432



Тор:	Micro fiber leather + Kevlar black High Frequency & hot seale design
Size:	275 × 130mm

Weight: 234 (CrNi/Ti) gram/pc



3430



Гор:	Vinyl white High Frequency design
Size:	280 × 130mm
Weight:	309 (CrMo) gram/pc



3428



PU leather Size: 293 × 135mm Weight: 329 (steel) gram/pc



3426

ATB RB HD S-CM

Тор:	Kevlar black w/embroidery logo With anatomic hole design
Size:	275 × 135mm
Weight:	304 (CrMo) gram/pc



3426A

ATB RB /T-CM/

Тор:	Micro fiber leather With Frequency & sealed design With anatomic hole design
Sizo:	275 x 135mm

Weight: 247 (CrMo) gram/pc



3426C

ATB RB HD S-CM

Top:	Micro fiber leather
Size:	278 × 135mm
Weight:	284 (CrMo) gram/pc



3851



Top:	Environmental friendly TPU With Frequency & sealed design
Size:	245 × 145mm
Weight:	336 (steel) gram/pc



GALIBIER



Тор:	PU
Base:	black Nylon + Glass fiber
Size:	280 × 125mm
Weight:	235 (CrNi/Ti) or 260 (CrMo) or 300 (steel) gram/pc















3178



Micro fiber leather Top: 274 × 135mm Weight: 280 (CrMo) gram/pc



3170G ATB HD ST

Vinyl Top: Size: 280 × 136 mm 352 (steel) gram/pc



3142

MTB HD EBR

Top:	Vinyl
Size:	246 × 150 mm
Weight:	330 (ED BK steel) gram/pc



3132

MTB HD EBR

Тор:	Vinyl
Size:	275 × 143 mm
Weight:	338 (ED BK steel) gram/pc



3385



With GEL inlay inside, for shock absorbing and comfortable riding.

260 × 235mm Size: Weight: 340 g





SC-50

	Aluminium seat clamp
Material:	cold forged AL 6061, T6
Diameter:	ø 28.6 / 31.8 / 34.9mm
Color:	black or silver
Weight:	20 gram



SC-55

	Aluminium seat clamp, with stainless steel screw	
Material:	cold forged AL 6061, T6	
Diameter:	ø 31.8 / 34.9mm	
Color:	black or silver	
Weight:	32 gram	



SC-60

	Aluminium seat clamp, with stainless steel screw	
Material:	cold forged AL 6061, T6	
Diameter:	ø 28.6 / 31.8 / 34.9mm	
Color:	black	
Weight:	21 gram	



SC-65

	Aluminium seat clamp, with stainless steel screw
Material:	cold forged AL 6061, T6
Diameter:	ø 31.8 / 34.9mm
Color:	black or silver
Weight:	26 gram



SC-70QR


	Aluminium seat clamp, with quick release bolt	
Material:	cold forged AL 6061, T6	
Diameter:	ø 28.6 / 31.8 / 34.9mm	
Color:	black or silver	
Weight:	51 gram	



QR-650

	Aluminium Quick Release
Material:	AL 6061 lever and nut, Cr-Mo skewer
Length:	50mm
Color:	black or silver
Weight:	39 gram





Front hub type	Weight (gram)	Number of spoke holes	A Axle length (Mm)	B Over lock nut dimension (Mm)	free axle end Right + left (Mm)	D Spoke hole Diameter (Mm)	E Axle thread	F Flange distance (Mm)
	w/o nuts							
410-01	153	16	120	80	20	2.8 +/-0.1	5/16" x 26TPI	56.5
410-02	166	16	130	92	19	2.8 +/-0.1	5/16" x 26TPI	56.5
410-03	164	16	130	92	19	2.8 +/-0.1	5/16" x 26TPI	67.5
410-04	163	20	130	92	19	2.8 +/-0.1	5/16" x 26TPI	67.5
410-05	160	36	130	92	19	2.8 +/-0.1	5/16" x 26TPI	67.5
410-06	162	28	130	92	19	2.8 +/-0.1	5/16" x 26TPI	67.5
412-01	195	36	140	100	20	2.8 +/-0.1	3/8" x 26TPI	67.5



Front hub type	Weight (gram)	Number of spoke holes	A Axle length (mm)	B Over lock nut dimension (mm)	Free axle end right + left (mm)	D Spoke hole diameter (mm)	E Axle thread	F Flange distance (mm)
420-01	w/o nuts 248	36	140	100	20	2.8 +/-0.1	3/8" x 26TPI	59
420-01 QR	with QR 267	36	108	100	4	2.8 +/-0.1	3/8" × 26TPI	59



Rear hub type	Weight (gram)	Number of spoke holes	A Axle length (mm)	B Over lock nut dimension (mm)	C Sprocket clearance (mm)	R Free Axle right (mm)	D Spoke hole diameter (mm)	E Axle thread
463-7	w/o nuts 370	36	175	130	38	25	2.8 +/-0.1	3/8" x 26TPI
463-7 CrMo	370	36	175	130	38	25	2.8 +/-0.1	3/8" x 26TPI
463-8	372	36	180	135	40	25	2.8 +/-0.1	3/8" x 26TPI
463-8 CrMo	372	36	180	135	40	25	2.8 +/-0.1	3/8" x 26TPI




512



512QR













Rubber cap

Safety washer


Flange nut

Cap nut 17mm total height

front hub type	Weight (gram)	Number of spoke holes	A Axle length (mm)	B Over lock nut dimension (mm)	Free axle right (mm)	D Spoke hole diameter (mm)	E Axle thread
512	w/o nuts 176	36	140	100	20	2.9 +/-0.1	3/8" × 26TPI
512 QR	with QR 188	36	108	100	4	2.9 +/-0.1	M9 x 1

562





562QR





All ALUMINIUM hubs also available in black (anodized)







Rubber cap

Flange nut

Cap nut 21mm total height

Rear hub type	Weight (gram)	Number of spoke holes	A Axle length (mm)	B Over lock nut dimension (mm)	C Sprocket clearance (mm)	R Free axle right (mm)	D Spoke hole diameter (mm)	E Axle thread
	w/o nuts							
562-7	286	36	175	130	38	25	2.9+/-0.1	3/8" x 26TPI
562-8	291	36	180	135	40	25	2.9+/-0.1	3/8" x 26TPI
562-7 QR	with QR 301	36	140	130	38	5	2.9+/-0.1	M10 x 1
562-8 QR	311	36	145	135	40	5	2.9+/-0.1	M10 x 1

E-Bike Lights

UN-4200E EXTREME E-BIKE

- For use at EPAC (E-Bike) at a Voltage between 6V to 48V DC
- · Front light with 1 x LED white
- 80 Lux performance
- · Aluminium heat sink in U-shape
- 1+1 INPUT terminal lugs
- Mounting at the front fork, bracket stainless steel



√√√ K 1738 IA (E1) 024913

UN-4270E SPARK E-BIKE

- For use at EPAC (E-Bike) at a Voltage between 6V to 44V DC
- Front light with 1 x LED white
- 50 Lux performance
- 1+1 INPUT terminal luas
- Mounting at the front fork, bracket stainless steel



UN-4250E VENTI E-BIKE

- For use at EPAC (E-Bike) at a Voltage between 6V to 44V DC
- Front light with 1 x LED white
- 20 Lux performance
- 1+1 INPUT terminal lugs
- · Mounting at the front fork, bracket stainless steel



IA (E1) 023716

UN-4930E RETRO 40 E-BIKE

√√√ K 1598

IA (E1) 024913

- For use at EPAC (E-Bike) at a Voltage between 6V to 44V DC
- · Classic front light with 1 x LED white
- 40 Lux performance
- 1+1 INPUT terminal lugs
- Mounting at the front fork, bracket stainless steel



UN-4990E CLASSICO E-BIKE

- For use at EPAC (E-Bike) at a Voltage between 6V to 48V DC
- · Classic front light with 1 x LED white
- 30 Lux performance1+1 INPUT terminal lugs
- Mounting at the front fork, bracket stainless steel







UN-4370E

- For use at EPAC (E-Bike) at a Voltage between 6V to 15V DC
- 1 bright red LED and light bar for high luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- 1+1 INPUT terminal lugs
- Base with stainless steel M5 bolt, washer and lock nut



√√√ K 1326 IA (E1) 024515



UN-4350E

- For use at EPAC (E-Bike) at a Voltage between 6V to 15V DC
- 1 bright red LED and light bar for high luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- 1+1 INPUT terminal lugs
- Base with 2 x M5 bolts, for luggage carrier mounting 50/80 mm
- · With stainless steel fasteners

UN-4360E

- For use at EPAC (E-Bike) at a Voltage between 6V to A15V DC
- 3 red LED and light bar for very bright luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- 1+1 INPUT terminal lugs
- · With stainless steel fasteners



√√ K 1237 IA (E1) 024302



• Base with 2 x M5 bolts, for flexible luggage carrier mounting 50/80 mm

HB-11

- Nylon bracket with swivel (for M6 bolt use)
- With stainless steel bolts and lock nuts (black)



HA-1

- Nylon adapter for SUNTOUR: CR8, CR85-E25, NCX, NEX, NEX-E25 and for ZOOM
- With stainless steel bolt and lock nut (black)



HA-2

- Nylon adapter for SUNTOUR: MOBIE, NCX 32, NEX-E25-C, NVX, XCM-32-ATB, XCR-32-ATB
- With stainless steel bolt and lock nut (black)



HA-6

- Nylon adapter for RST
- With stainless steel bolt and lock nut (black)



UNION® | Dynamos Lights

Headlights: 6 Volt / 2.4 Watt

UN-4920 RETRO 20

- Classic front light with 1 x LED white
- 20 Lux performance
- For use with side dynamo
- · With 2+2 INPUT and **OUTPUT** terminal luas
- · Mounting on front fork, bracket stainless steel



UN-4925 RETRO 20 ON/OFF

- Like RETRO 20 (UN-4920), with on/off switch
- · For use with hub dynamo
- With 2+2 INPUT and OUTPUT terminal lugs

UN-4926 RETRO 20 STEADY

- Like RETRO 20 ON/OFF (UN-4925)
- · With "battery free" standlight function

UN-4928 RETRO 20 STEADY SENSOR

- Like RETRO 20 STEADY (UN-4926), with on/auto/off switch
- · With automatic ON/OFF mode

Like RETRO 40 ON/OFF (UN-4935) · With "battery free" standlight function

UN-4935 RETRO 40 ON/OFF

• Like RETRO 40 (UN-4930), with on/off switch

· With 2+2 INPUT and OUTPUT terminal lugs

UN-4936 RETRO 40 STEADY

- UN-4938 RETRO 40 STEADY SENSOR · Like RETRO 40 STEADY (UN-4936), with on/auto/off switch
- With automatic ON/OFF mode

UN-4930 RETRO 40

Classic front light

with 1 x LED white

40 Lux performance

· With 2+2 INPUT and


OUTPUT terminal luas

· Mounting on front fork,

bracket stainless steel

· For use with hub dynamo

• For use with side dynamo



IA (E1) 023511

UN-4965 MOBILE

- · Front light with 1 x LED white, and on/off button at the top
- · For use with hub dynamo, with fixed twin cable
- · Mounting on front fork, bracket stainless steel





UN-4990 CLASSICO

- · Classic front light with 1 x LED white
- 30 Lux performance
- For use with side dynamo, with fixed input twin cable
- 1+1 terminal lugs for optional tail light connection
- · Mounting at the front fork, bracket stainless steel



√√√ K 1123

IA (E1) 024005



UN-4995 CLASSICO ON/OFF

- Like CLASSICO (UN-4990), with on/off switch
- · For use with hub dynamo, with fixed input twin cable
- · 1+1 terminal lugs for tail light connection

UN-4996 CLASSICO STEADY

- Like CLASSICO ON/OFF (UN-4995)
- · With "battery free" stand light function



UN-4965 MOBILE PLUS

- Front light with 1 x high power LED and on/off button at the top
- 10 Lux performance
- · For use with hub dynamo, with fixed twin cable
- Mounting on front fork, bracket stainless steel



UN-4220

- Durable ABS housing
- HALOGEN bulb
- 1+1 plug-on contact for secure twin-cable connection
- · Base with serration washer and ground contact



VVV K 418

- · Like UN-4220, with additional ON-OFF switch for use with hub dynamo
- 1+1 lugs for twin-cable connection to dynamo and 1+1 terminal lugs for taillight connection

















· Like HILUX (UN-4260), with on/off switch



• Like HILUX ON/OFF (UN-4265) With "battery free" stand light function

√√√ K 1738

IA (E1) 024913

UN-4205 EXTREME ON/OFF

· With on/off switch, for use with hub dynamo

Mounting at the front fork, bracket stainless steel

• Front light with 1 x LED white

· Aluminium heat sink in U-shape

• Like EXTREME ON/OFF (UN-4205)

UN-4260 HILUX

• 35 Lux performance

• Front light with 1 x LED white

· For use with side dynamo With 1+1 INPUT terminal lugs

· Mounting on front fork,

bracket stainless steel

· For use with hub dynamo,

• With 1+1 terminal lugs

for taillight connection

with fixed twin cable, 60 cm

UN-4266 HILUX STEADY

UN-4265 HILUX ON/OFF

2+2 INPUT and OUTPUT terminal lugs

UN-4206 EXTREME STEADY

· With "battery free" stand light function

· With "battery free" stand light function

• 80 Lux performance

UN-4268 HILUX STEADY SENSOR

- Like HILUX STEADY (UN-4266), with on/auto/off switch
- With automatic ON/OFF mode



√√√ K 1598 IA (E1) 024913

UN-4275 SPARK ON/OFF

- · Front light with 1 x LED white
- 50 Lux performance
- · With on/off switch, for use, with hub dynamo
- 2+2 INPUT and OUTPUT terminal lugs
- · Mounting at the front fork, bracket stainless steel

UN-4276 SPARK STEADY

- Like SPARK ON/OFF (UN-4275)
- · With "battery free" stand light function

UN-4278 SPARK STEADY SENSOR

- Like SPARK STEADY (UN-4276), with on/auto/off switch
- · With automatic ON/OFF mode

UN-4250 VENTI

- Front light with 1 x LED white
- 20 Lux performance
- · For use with side dynamo
- With 1+1 INPUT terminal lugs
- · Mounting on front fork, bracket stainless steel



UN-4255 VENTI ON/OFF

- · Like VENTI (UN-4250), with on/off switch
- · For use with hub dynamo, with fixed twin cable, 60 cm
- With 1+1 terminal lugs for tail light connection

UN-4256 VENTI STEADY

- Like VENTI ON/OFF (UN-4255)
- · With "battery free" stand light function

UN-4258 VENTI STEADY SENSOR

- Like VENTI STEADY (UN-4256), with on/auto/off switch
- With automatic ON/OFF mode

UN-4290 LUPA

- Front light with 1 x LED white
- 30 Lux performance
- · For use with side dynamo
- 2+2 INPUT and OUTPUT terminal lugs, for optional tail light connection
- · Mounting at the front fork, bracket stainless steel

UN-4295 LUPA ON/OFF

- · Like LUPA (UN-4290), with on/off switch
- For use with hub dynamo
- 2+2 INPUT and OUTPUT terminal lugs

- Like LUPA ON/OFF (UN-4295)
- · With "battery free" stand light function

UN-4298 LUPA STEADY SENSOR

- Like LUPA STEADY (UN-4296) with on/auto/off switch
- · With automatic ON/OFF mode





IA (E1) 024592

Rear Lights: 6 Volt

UN-4370

- 1 red LED and light bar for bright luminosity
- Extra wide radiation >220°
- Transparent lens and durable ABS housing
- 1+1 INPUT terminal lugs
- Base with stainless steel M5 bolt, washer and lock nut

UN-4360

- 3 red LED and light bar for very bright luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- 1+1 INPUT terminal lugs
- Base with 2 x M5 bolts, for luggage carrier mounting 50/80 mm
- · With stainless steel fasteners

UN-4350

- 1 bright red LED and light bar for high luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- 1+1 INPUT terminal lugs
- Base with 2 x M5 for luggage carrier mounting 50/80 mm
- · With stainless steel fasteners

UN-4340

- 1 bright red LED for extra wide radiation >220°
- Transparent lens
- Durable ABS housing
- 1+1 clamp contact
- Base with 2 x M5 bolt, for luggage carrier mounting 50/80mm

UN-4320

- 3 red LED for >220° radiation
- Transparent lens
- Durable ABS housing
- 1+1 clamp contact
- Base with M 5 bolt, for easy mudguard mounting

UN-4375

- Like UN-4370
- With additional "battery free" stand light function, powered by capacitor



√√√ K 1326

IA (E1) 024515

UN-4365

- Like UN-4360
- With additional "battery free' stand light function, powered by capacitor



√√√ K 1237

IA (E1) 024302

UN-4355

- Like UN-4350
- With additional "battery free" stand light function, powered by capacitor



UN-4345

- Like UN-4340
- With additional "battery free" stand light function, powered by capacitor





UN-4325

- Like UN-4320
- With additional "battery free" stand light function, powered by capacitor



√√√ K 693

Dynamos: 6 Volt / 3 Watt

UN-4105

- Effi ciency more than 35%
- Release lever for easy operating
- Durable nylon pulley
- 1+1 clamp contact for twin-cable
- Zinc plated bracket with serration washer
- RIGHT- and LEFT- side type
- Maintenance free
- Weight: 147g

UN-4125



olgin : 147 g

- Effi ciency more than 35%
- Release lever for easy operating
- Durable rubber pulley
- 2+2 plug-on contacts for twin-cable
- Zinc plated bracket + serration washer
- RIGHT- and LEFT- side type available
- Maintenance free
- Weight: 150g

√√√ K 386

UN-4190

- Effi ciency more than 35%
- Sintered steel bearings
- · Serrated steel pulley
- 1+1 clamp contact for twin-cable
- Zinc plated bracket with serration washer
- RIGHT- and LEFT- side type
- Maintenance free
- Weight: 202g

- Effi ciency more than 35%
- Sintered steel bearings
- Durable rubber pulley
- 1+1 clamp contact for twin-cable
- Zinc plated bracket + serration washer
- RIGHT- and LEFT- side type available
- Maintenance free
- Weight: 148g







LED Headlights

UN-4980 CLASSICO BATTERY


- Front light with 1 x LED white, with on/off button at the top
- 20 Lux performance
- Batteries: 4 x AAA alkaline, included and assembled
- · Mounting at the front fork, bracket stainless steel



√√√ K 1374 IA (E1) 024592

• Front light with 1 x LED white, with on/off button at the top

- 20 Lux performance
- Batteries: 4 x AAA alkaline, included and assembled
- · Mounting at the front fork, bracket stainless steel



UN-4915 RETRO BATTERY

- · Classic front light with 1 x LED white
- 20 Lux performance
- · With on/off button at the top
- · Batteries: 4 x AAA alkaline, included and assembled
- · Mounting on front fork, bracket stainless steel

√√√ K 1122 IA (E1) 024005



UN-4240 VENTI BATTERY

- Front light with 1 x LED white, with on/off button at the top
- 20 Lux performance
- · Batteries: 4 x AAA alkaline, included and assembled
- · Mounting on front fork, bracket stainless steel



UN-4245 VENTI BATTERY SENSOR

UN-4960 + MOBILE PLUS BATTERY

- Like VENTI BATTERY (UN-4240)
- With automatic ON/OFF mode

√√√ K 1196 IA (E1) 024188

UN-4960 MOBILE BATTERY

- Front light with 1 x LED white and on/off button at the top
- Batteries: 2 x AA alkaline, included and assembled
- · Mounting on front fork, bracket stainless steel







white/white



button at the top •10 Lux in high mode /5 Lux in low mode

• Batteries: 2 x AA alkaline, included and assembled

with two modes (low / high) by push

• Front light with 1 x high power LED,

· Mounting on front fork, bracket stainless steel





UN-4900

- Front light with 3 x LED white, with on/off button at the top
- Batteries: 3 x AAA alkaline, included and assembled
- · Mounting on handlebar stem bracket
- · ABS-housing, available in black and chrome





UN-4900 STAINLESS STEEL & RETRO REFLECTOR

- Like UN-4900, with lamp holder in stainless steel
- · With retro reflector in ring design
- · ABS-housing, available in black and chrome







UN-4800

- Front light with 1 x LED white and on/off button at the front
- 10 Lux performance
- Batteries: 3 x AAA alkaline, included and assembled
- · Mounting at the front fork, bracket stainless steel



- · Classic LED front light, downsized
- With on/off button at the top and 1 x high power LED white
- Batteries: 2 x AAA alkaline, included and assembled
- Various mounting opportunities, bracket flange stainless steel



LED rear lights

UN-4470

- 1 red LED and light bar for bright luminosity
- Extra wide radiation >220°
- Transparent lens and durable ABS housing
- Batteries: 2x AAA,included and assembled
- · On/off switch at the back side
- Base with M5 bolt
- With stainless steel fasteners

UN-4475

- Like UN-4470, with 1 red LED and light bar
- With automatic ON/OFF mode

UN-4465

Like UN-4460,

with 3 red LED and light bar



√√√ K 1326 IA (E1) 024515

UN-4460

- · 3 red LED and light bar for very bright luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- · Batteries: 2 x AA, included and assembled
- On/off button at the side
- Base with 2 x M5 bolts, for luggage carrier mounting 50/80 mm
- · With stainless steel fasteners





√√ K 1237 IA (E1) 024302

UN-4450

- 1 bright red LED and light bar for high luminosity
- Extra wide radiation to the sides >220°
- Transparent lens and durable ABS housing
- Batteries: 2 x AAA alkaline, included and assembled
- · On/off switch at the side
- Base with 2 x M5 for luggage carrier mounting 50/80 mm
- · With stainless steel fasteners

UN-4430

- Rear carrier light with 2 x LED red and light bar, with on/off switch at the bottom
- Batteries: 2 x AA alkaline, included and assembled
- Mounting on rear carrier with pitch 80mm (alternative 50mm)
- With stainless steel fasteners





UN-4420

- Rear carrier light with 3 x LED red, with on/off switch
- Batteries: 2 x AA alkaline, included and assembled
- Mounting on rear carrier with pitch 80mm (alternative 50mm)
- With stainless steel fasteners



UN-4400

- Rear carrier light with 2 x LED red in SMD technology and additional lenses, with on/off switch
- Batteries: 2 x AA alkaline, included and assembled
- Mounting on rear carrier with pitch 80mm (alternative 50mm)



UN-4309

- Rear mudguard light with 1 x LED red, with on/off switch at the back side
- Extra water resistant
- Batteries: 2 x AAA alkaline, included and assembled
- Stainless steel fasteners, including lock nut
- · Mounting on rear mudguard
- With smoke glass

- Rear mudguard light with 1 x LED red, with on/off switch at the back side
- Extra water resistant
- Batteries: 2 x AAA alkaline, included and assembled
- Stainless steel fasteners, including lock nut
- · Mounting on rear mudguard
- With smoke glass



IA (E1) 024515



Li-lon Battery Lights





UN-100 **

- Front light LED
- Direct USB adapter
- Steady + flash
- Burning time 2.5 HRS
- **Also available in a set as UN-102



UN-101**

- Tail light LED
- Direct USB adapter
- · Steady + flash
- Burning time 2.5 HRS



UN-120

- Tail light LED (2 x LED)
- Incl. micro USB charging cable
- Steady + flash
- Adjustable rubber quick release
- · Burning time 6 HRS



UN-130

- Tail light LED (2 x LED)
- Incl. USB 2.0 charging cable
- Bracket system with finger screw
- Steady + flash + steady 50%
- Burning time 4 HRS



UN-150

- Front light LED
- 2 x LED (2 LUX)
 - Incl. micro USB charging cable
 - · Steady + flash
 - Adjustable rubber quick release
 - Burning time 6 HRS



UN-160

- Front light LED
- 2 x LED (4 LUX)
- Incl. USB 2.0 charging cable
- Bracket system with finger screw
- Black version with handlebar and V-brake
- Steady + flash + steady 50%
- Burning time 4 HRS



UN-170

- Front light LED
- 1 x LED (30 LUX)
- Incl. USB 2.0 charging cable
- Bracket system with finger screw
- · With handlebar and V-brake bracket
- Steady + flash + steady 50%
- · Burning time 4 HRS



UN-170M2

- Front light LED
- 1 x LED (30 LUX)
- Bracket system with finger screw
- · Black version with handlebar and
- V-brake bracket • Steady + flash + steady 50%
- · Burning time 8 HRS



UNION-5N/8N-SILVER

- UNION-N cycle computer with silver coloured housing
- Available with 5- and 8- functions with wire (dark grey inner panel)



UNION-5N/8N-BLACK

- UNION-N cycle computer with black coloured housing
- Available with 5- and 8- functions with wire (black inner panel)



UNION-5/8/10

- UNION cycle computer with titanium coloured housing
- Available with 5-, 8- and 10- functions with wire



UNION-9W

- UNION cycle computer with titanium coloured housing
- · Available with 9- functions wireless

MODEL	UNION-5N UNION-5	UNION-8N UNION-8	UNION-10	We-NOINU
Current speed	V	V	V	V
Average speed		v	V	V
Maximum speed		V	V	V
Trip distance	V	v	V	٧
Odometer	V	V	V	٧
Distance/ day				V
Auto scan	V	v	V	V
Speed pacer			V	
Riding time		v	V	V
Total riding time			٧	
12 hours clock	V	V	٧	
12/24 hours clock				V
		FEATURES		
With wire	٧	V	٧	
Wireless				٧
Auto ON/OFF				٧

- 8 models of high quality computers
- Two years of full guarantee
- All computers packed in blister-panelbox
- Exclusive housing designs
- Special handlebar bracket
- Assembly instructions and user manual in 10 languages
- Easy installment





UNION-12

- UNION cycle computer with transparent upper housing and white lower casing
- · Available with 12-functions with wire
- · Low battery indicator



UNION-7TW

- UNION cycle computer
- Available in white
- 7- functions, wireless



UNION-21TAW

- UNION cycle computer
- Available in black
- 21- functions, wireless
- Incl. altitude functions
- Incl. Calories consumption and temperature
- · Low battery indicator and backlight

MODEL	UNION-12	UNION-7TW	UNION-2ITAW
Current speed	v	v	V
Average speed	v	V	V
Maximum speed	v		V
Trip distance	v	V	V
Dual wheel size			V
Odometer bike 1 & 2			v
(Total)Odometer	v	v	V
Distance/ day			v
Auto scan	v		V
Speed pacer	V	V	V
Riding time	v	V	v
Total riding time	V		
12/24 hours clock	v	v	v
Calory consumption	v		V
Total calory consumption	v		V
Temperature			V
Current altitude			V
Maximum altitude			V
Trip climb			V
Total climb bike 1 & 2			V
Total climb			V
Backlight			V
		FEATURES	
With wire	V		
Wireless		v	٧
Low battery indicator	v		V
Auto ON/OFF		v	V

- 3 models of high quality computers
- · All computers packed in blisterpanelbox
- Two years of full guaranteeExclusive housing designs
- Special handlebar bracket
- Assembly instructions and user manual in 10 languages
- Easy installment

Headset Tool

BT-301

Headset wrench 30-32mm x 36-40mm



Bottom Bracket Tool

BT-630

Cartridge bottom bracket tool (Shimano-type)



Hub Cone Tool

BT-310

Hub cone wrench 13-15mm x 14-16mm (set of 2 pieces)



Tire Lever

BT-850

Tire lever set (nylon / fiberglass reinforced)



Freewheel and Cassette Tools

BT-410

Freewheel remover for Shimano HG20

BT-420

Cassette sprocket lockring tool with stabilizer (Shimano-type)

BT-440

Cassette sprocket lockring tool (Shimano-type)

BT-490

Freewheet turner (chainwhip)



Spoke Tools

BT-127

Spoke wrench for 0,127" nipples (DT Swiss & Wheelsmith)



BT-136

Spoke wrench for 0,136" nipples (Asian nipples)



BT-130

Spoke wrench for 0,130" nipples (European nipples)



BT-139

Spoke wrench 3-in-1 (for all nipples)





Crank Tools

BT-510

Cotterless crank extractor (14mm)



BT-520

Cotterless crank extractor with wrench (all axles)



Chain Tools

BT-710

Chain rivet extractor (fits all chains)



BT-750

Chain rivet extractor Cr-Mo steel (fits all chains)



Cleaning Tools

BT-780

Chain scrubber with solvent reservoir and bristles



BT-860

Derailleur and chain scrubber



Workshop Stand

BT-999

Aluminium workshop stand Completely foldable Bicycle can be fixed under any



Folding Tool

BT-950

Folding tool with 9 functions





- Full range of high quality bicycle chains
- Type tested and certificated by German TüV Product Service
- Two years warranty
- · All chains packed in a compact panelbox with euroslot
- · All panelboxes include connector for tool-free assembly
- All panelboxes carry BAR code
- QR-code for easy access to product information
- · 3 models with special GST coating for supreme anti-rust protection



step 1 To connect the Sigma Connector, hold the inner plate ends of the chain in both hands and insert the connecting link.



step 2 Now that one side of the Sigma Connector is inserted, place the outer connector plate on one pin, then place your thumbs over the outside plate and both pins. Gently flex the chain by pushing with thumbs until the outside connector plate snaps into position over the second pin.



Make sure the plates are parallel to each other and plate is fully seated in the pin channel. Note: If the outside connector plate is not seated in the channel, the plate may fall off.




Disassembly: With the connector plate facing you, grasp the chain 4 to 5 links away from the connector and flex the chain by pushing with your thumbs. The link disconnects and the connector can be removed.










	Туре	Art.nr.	Description	Application	Quantity	Size	Finish
∞c#	UN-01	390001	Spring clip connector Use standard plier Fits all chain brands	1/2"×1/8" bush-type coaster brake chain	2 sets on card or 500 in bulk	1/2"×1/8"	black
∞ ₩	UN-33	390033	Sigma connector No tools required Fits all chain brands	1/2"×1/8"chain for gear hub or single speed	2 sets on card or 500 in bulk	1/2"×1/8"	black
∞ ⇔	UN-25	390025	Sigma connector No tools required Fits all chain brands	1/2"×3/32"chain for gear hub	2 sets on card or 500 in bulk	1/2"×3/32"	black
∞ ₩	UN-23	390023	Sigma connector No tools required Fits all chain brands	1/2"×3/32" derailleur chain 5-/6-/7-8-speed	2 sets on card or 500 in bulk	1/2"×3/32"	black/silver
00 H	UN-20	390020	Sigma connector No tools required Fits all chain brands	1/2"×5/64" derailleur chain 9-speed	2 sets on card or 500 in bulk	1/2"×5/64"	silver





fits various brands



GH-062 fits various brands



GH-063 fits various brands



GH-068 fits Trek and others



GH-069 fits various brands



GH-072 fits various brands



GH-075 fits various brands



GH-076 fits various brands



GH-078 fits various brands



GH-080 fits various brands



GH-081 fits various brands



GH-082



GH-083 fits various brands fits Specialized(road)



GH-084 fits Specialized (MTB)



GH-085 fits Cube



GH-086 fits Specialized



GH-087 fits various brands



GH-088 fits various brands



GH-089 fits Specialized



GH-090 fits Felt



GH-092 fits Bianchi



GH-093 fits various brands



GH-094 fits Specialized



GH-095 fits Marin



fits Marin



GH-097 fits Corratec and others



GH-098 fits KTM



GH-099 fits KTM



fits various brands



fits various brands



GH-102 fits various brands



GH-103 fits various brands



GH-104 fits various brands



GH-105 fits various brands




GH-106 fits various brands



fits various brands



GH-108 fits Cannondale





GH-145 fits various brands



GH-146



GH-147 fits various brands fits Cervelo, Eddy Merckx



GH-148 fits Cannondale



GH-149 fits Cannondale



GH-150 fits Cannondale



GH-151 fits Cannondale



GH-152 fits Eddy Merckx



GH-153 fits various brands



GH-154 fits various brands



GH-155 fits Orbea



GH-156 fits Scott



GH-157 fits Scott



GH-158 fits Cervelo



GH-159 fits Specialized



GH-160 fits Cannondale



GH-161 fits Trek



GH-162 fits Lapierre, Koga



GH-163 fits Scott



GH-164 fits Cube



GH-165 fits Cube



GH-166 fits Specialized



GH-167 fits Lapierre, Ghost



GH-168 fits Lapierre



GH-169 fits Ghost



GH-170 fits Ghost



GH-171 fits Ghost



GH-172 fits Ghost



GH-173 fits Ghost, Koga



GH-174 fits Ghost, Koga



GH-175 fits Cube



GH-176 fits Cube



GH-177 fits Cube




GH-178 fits Bergamont



fits Stevens



GH-180 fits Stevens, Kuota







GH-223 fits Lapierre



GH-224 fits Haibike



GH-225 fits Trek



GH-226 fits BMC



GH-227 fits Bergamont



GH-228 fits Fuji



GH-229 fits Focus and others



GH-230 fits BMC



GH-231 fits Pinarello



GH-232 fits Felt



GH-233 fits Giant



GH-234 fits Willer



GH-235 fits Giant



GH-236 fits Ghost



GH-237 fits BMC



GH-238 fits various brands



GH-239 fits various brands



GH-240 fits various brands



fits various brands



GH-242 fits various brands



GH-243 fits BH



GH-244 fits various brands



GH-245 fits various brands



GH-246 fits KTM



GH-247 fits KTM



GH-248 fits KTM



GH-249 fits Bulls



GH-250 fits Bulls



GH-251 fits Bulls



GH-252 fits Bulls



GH-253 fits Bulls



GH-254 fits Bulls



GH-255 fits Bulls



GH-256 fits Orbea



GH-257 fits Cube



GH-258 fits Stevens, Corratec













fits Giant

GH-262 fits BH

GH-263 fits Bulls

GH-264 fits Cube









fits Decathion





















GH-273 fits Bergamont

GH-274 fits Orbea

GH-275 fits Scott

GH-276 fits Scott













GH-277 fits Scott

fits Scott

GH-279 fits Stevens

fits Stevens

GH-281 fits Scott

GH-282 fits Orbea





fits GT



fits Cube







fits Cube









GH-292 fits Scott



GH-293 fits Specialized



GH-294 fits Specialized









56



GH-295 fits Specialized



GH-296 fits Specialized



GH-297 fits Specialized



GH-299 fits Haiblke



GH-300 fits Haiblke



GH-301 fits Haiblke & others



GH-302 fits Specialized



GH-298 fits Specialized



CONTENT:

GH-001 GH-002 GH-003 GH-005 GH-006 GH-009 GH-010 GH-011 GH-012 GH-013 GH-014 GH-015 GH-017 GH-018 GH-020 GH-022 GH-023 GH-029 GH-033 GH-039



BOX TOP 21-40

Assortment box with another 20 common

gear hangers (1 pc. each), fitting frames

for many different bike brands.

CONTENT:

GH-021 GH-026 GH-036 GH-043 GH-045 GH-056 GH-058 GH-068 GH-080 GH-106 GH-107 GH-114 GH-116 GH-117 GH-119 GH-124 GH-126 GH-128 GH-130 GH-131

Assortment box with the 20 most sold gear hangers (1 pc. each), fitting frames for hundreds of bike brands.





CONTENT:

GH-083 GH-086 GH-094 GH-108 GH-109 GH-110 GH-111 GH-112 GH-134 GH-135 GH-139 GH-140 GH-017 GH-018 GH-020 GH-142 GH-148 GH-149 GH-150 GH-151



BOX SELECTION

Create your own assortment box, using your selection from the 160 different stickers that come with this box, all drawings at scale 1:1

BOX SPECIALS

Assortment box with the 20 special hangers fitting the lastest frames of Cannondale, Specialized, Trek and Giant






CARTRIDGE BEARING

Races: CrMo Balls: CrMo (HRC 61-66) Retainer: Steel

Sealing: Rubber 2RS (light contact)
Grease: Multemp SRL (Kyodo Yushi)
Tolerance: ABEC-3





CARTRIDGE BEARING				
Item No.	Bearing No.	IDxODxW		
CB-010	MR105	5x10x4		
CB-011	685	5x11x5		
CB-012	695	5x13x4		
CB-013	605	5x14x5		
CB-020	MR106	6x10x3		
CB-021	686	6x13x5		
CB-022	696	6x15x5		
CB-024	606	6x17x6		
CB-025	626	6x19x6		
CB-030	MR137	7x13x4		
CB-031	607	7x19x6		
CB-040	688	8x16x5		
CB-041	698	8x19x6		
CB-042	808	8x22x7		
CB-050	689	9x17x5		
CB-051	699	9x20x6		
CB-053	R6	3/8"x7/8"x9/32"		
CB-056	609	9x24x7		
CB-058	629	9x26x8		
CB-060	6700	10x15x4		
CB-061	6800	10x19x5		
CB-062	63800	10x19x7		
CB-064	6900	10x22x6		
CB-065	6000	10x26x8		
CB-066	MR16100	10x28x8		
CB-067	6200	10x30x9		
CB-070	6701	12x18x4		
CB-071	6801	12x21x5		

CARTRIDGE BEARING				
Item No.	Bearing No.	IDxODxW		
CB-072	63801	12x21x7		
CB-074	6901	12x24x6		
CB-075	6001	12x28x8		
CB-078	6201	12x32x10		
CB-080	6702	15x21x4		
CB-081	6802	15x24x5		
CB-082	63802	15x24x7		
CB-083	MR15267	15x26x7		
CB-084	MR15268	15x26x8		
CB-085	6902	15x28x7		
CB-086	6002	15x32x9		
CB-088	6202	15x35x11		
CB-091	MR16287	16x28x7		
CB-093	MR163110	16x31x10		
CB-100	6703	17x23x4		
CB-101	6803	17x26x5		
CB-104	MR17286	17x28x6		
CB-105	MR17287	17x28x7		
CB-106	6903	17x30x7		
CB-107	6003	17x35x10		
CB-108	6203	17x40x12		
CB-110	MR18307	18x30x7		
CB-130	6704	20x27x4		
CB-131	MR20307	20x30x7		
CB-132	6804	20x32x7		
CB-133	63804	20x32x10		
CB-134	6904	20x37x9		
CB-135	6004	20x42x12		

CARTRIDGE BEARING					
Bearing No.	IDxODxW				
MR215317	21.5x31x7				
MR22378	22x37x8				
MR22378B	22x37x8/11.5				
MR22378-E	22x37x8/11.5				
MR24377	24x37x7				
MR24378	24x37x8				
6705	25x32x4				
6805/6	25x37x6				
6805	25x37x7				
63805	25x37x10				
6905	25x42x9				
6005	25x47x12				
6805B	25.1x37x7				
MR27537	27.5x37x7				
R8	1/2"x1-1/8"x 5/16"				
6706	30x37x4				
6806	30x42x7				
6906	30x47x9				
MR314357	31x43.5x7				
6707	35x44x5				
6807	35x47x7				
6708	40x50x6				
6808	40x52x7				
6809	45x58x7				
6710	50x62x6				
6810	50x65x7				
	Bearing No. MR215317 MR22378 MR22378B MR22378-E MR24377 MR24378 6705 6805/6 6805 6905 6005 6805B MR27537 R8 6706 6806 6906 MR314357 6707 6807 6708 6808 6809 6710				








CERAMIC BEARING

Races: CrMo Balls: Si₃N₄ Silicon Nitride (HRC 75-89) Retainer: Nylon


Sealing: Rubber LLB (non contact)
Grease: Multemp PS2 (Kyodo Yushi)
Tolerance: ABEC-5





CERAMIC BEARING				
Item No.	Bearing No.	IDxODxW		
CB-305	686 CER	6x13x5		
CB-308	626 CER	6x19x6		
CB-311	697 CER	7x17x5		
CB-314	607 CER	7x19x6		
CB-317	688 CER	8x16x5		
CB-320	608 CER	8x22x7		
CB-323	6800 CER	10x19x5		
CB-326	6900 CER	10x22x6		
CB-329	6000 CER	10x26x8		
CB-332	6801 CER	12x21x5		
CB-335	6901 CER	12x24x6		
CB-338	6001 CER	12x28x8		
CB-341	6802 CER	15x24x5		
CB-344	MR15267 CER	15x26x7		
CB-347	6902 CER	15x28x7		
CB-350	6803 CER	17x26x5		
CB-353	MR17287 CER	17x28x7		
CB-356	6903 CER	17x30x7		
CB-365	6804CER	20x32x7		
CB-368	6904 CER	20x37x9		
CB-371	MR24377 CER	24x37x7		
CB-374	6805 CER	25x37x7		
CB-377	6806 CER	30x42x7		
CB-380	6807 CER	35x47x7		





MAX BEARING
Pages: Crtto

Races: CrMo Balls: CrMo (HRC 61-66)


Retainer: Non (full ball bearing)
Sealing: Rubber LLU (full contact)
Grease: Multemp SLR (Kyodo Yushi)



MAX BEARING				
Item No.	Bearing No.	IDxODxW		
CB-420	668V MAX	8x16x5		
CB-423	698V MAX	8x19x6		
CB-426	608V MAX	8x22x7		
CB-429	6800V MAX	10x19x5		
CB-432	63800V MAX	10x19x7		
CB-435	6900V MAX	10x22x6		
CB-438	6000V MAX	10x26x8		
CB-441	6801V MAX	12x21x5		
CB-444	6901V MAX	12x24x6		
CB-447	6001V MAX	12x28x8		

MAX BEARING			
ltem No.	Bearing No.	IDxODxW	
CB-450	6802V MAX	15x24x5	
CB-453	6902V MAX	15x28x7	
CB-456	6803V MAX	17x26x5	
CB-459	17286V MAX	17x28x6	
CB-462	6903V MAX	17x30x7	
CB-465	6804V MAX	20x32x7	
CB-468	6805V MAX	25x37x7	
CB-471	6808V MAX	40x52x7	
CB-474	6809V MAX	45x58x7	





MAX DOUBLE ROW BEARING

Races: CrMo

Balls: CrMo (HRC 61-66)
Retainer: Non (full ball bearing)
Sealing: Rubber LLU (full contact)
Grease: Multemp SLR (Kyodo Yushi)




MAX DOUBLE ROW BEARING					
Item No. Bearing No. IDxODxW					
CB-620	DR11197V MAX	11x19x7 double row			
CB-625	3801V MAX	12x21x8 double row			
CB-630	3901V MAX	12x24x10 double row			
CB-635	3802V MAX	15x24x7 double row			
CB-640	DR17289V MAX	17x28x9 double row			



HEADSET BEARING

Races: CrMo Balls: CrMo (HRC 61-66) Retainer: Nylon Sealing: Rubber LLU (full contact) Grease: Multemp SRL (Kyodo Yushi)





	HEADSET BEARING			HEADSET BEARING		
ltem No.	IDxODxH	IA/OA	Item No.	IDxODxH	IA/OA	
CB-706	27.2x38x6.5	36°/45°	CB-755	34.1x46.9x7	45°/45°	
CB-710	30.2x39x6.5	45°/45°	CB-762	37x46.9x7	45°/45°	
CB-713	30.2x41x6.5	36°/45°	CB-764	37x48x6.5	36°/45°	
CB-714	30.2x41x6.5	45°/45°	CB-766	37x48x7	45°/45°	
CB-715	30.2x41x7	36°/45°	CB-768	37x49x6.5	36°/45°	
CB-716	30.2x41x7	45°/45°	CB-770	37x49x7	45°/45°	
CB-720	30.2x41.5x6.5	36°/36°	CB-774	40x51x6.5	36°/36°	
CB-723	30.2x41.8x6.5	45°/45°	CB-776	40x51.8x7.5	36°/45°	
CB-725	30.2x41.8x7	45°/45°	CB-778	40x51.8x8	36°/45°	
CB-732	30.5x41.8x6.5	45°/45°	CB-780	40x51.9x8	45°/45°	
CB-735	30.5x41.8x8	45°/45°	CB-782	40x52x6.5	36°/45°	
CB-7 4 0	31x41.8x8	45°/45°	CB-784	40x52x7	45°/45°	
CB-7 4 5	33.05x43.8x7	30°/45°	CB-786	40x52x7.5	45°/45°	
CB-751	34.1x46x7	45°/45°	CB-790	40x52x8	45°/45°	
CB-752	34.1x46.8x7	45°/45°				



Organic compound is specially formulated to produce excellent all around performance, perfect for everyday use.



Sintered compound is designed to produce consistent performance in all condition, offer high durability and high resistance to contamination by mud, water, sand and grit.



With spring













(H) HOPE







(S) SRAM





(Or)

Sin

*









*





*







(A) AVID



for AVID Julcy BB7 / Julcy Ultimate and PROMAX DSK-950



DBP-34S

C CAMPAGNOLO

for AVID BB5

(F) FORMULA

for AVID XO trail and SRAM GUIDE

(F) FORMULA







*



DBP-67



(C) CLARKS



DBP-07

for FORMULA hydraulic calipers



DBP-16

for FORMULA B4 Team / Pro / SL & 4Racing callipers



DBP-31S

HAYES

DBP-01

DBP-01S







*









(G) GIANT

DBP-51



for FORMULA Activa / MD1 mechanical callipers



for GIANT MPH 2 / 3 callipers



for GIANT MPH 1 callipers

(Or



for FORMULA Oro callipers

(Or)

Sin





for FORMULA Mega



Sin











(Or)



DBP-41 DBP-41S

HAYES



for HAYES Stroker Trial



for HAYES HFX and PROMAX hydraulic calipers

HAYES **DBP-45**

DBP-45S



(H) HOPE

DBP-05

DBP-05S









DBP-22

(H) HOPE



for HAYES Stroker Ryde

for HOPE M4 / DH4 / E4 callipers





for HOPE XC4



for HAYES Ace




for HOPE open/closed 2-piston callipers Pro / Sport



for HAYES El Camino callipers



62



Disc Brake Pads E-Bike

Substitute your standard disc brake pad of your E-bike with a special UNION E-bike pad The E-bike pad has a special compound with a high percentage of KEVLAR® The life span will be 50% longer than standard organic versions of these pads No brake power fading due to overheated brake pads The E-bike pads offer consistent and smooth braking power, also at higher speed

DBP-10E for Shimano Deore




DBP-52E for Shimano XTR 2011-





DBP-44E



DBP-57E

for AVID XO / SRAM Guide







DBP-55E

for Magura MT-2/4/6/8

DBP-60E for Magura MT-5/7

DBP-53E

for AVID code / SRAM

DBP-65E for Magura MT-5 (2015-)







DBP-61E for Tektro Dorado



Disc Brake Rotors

Special high grade stainless steel, excellent wet/dry performance, disc wear and heat dissipation

1 Wavy	DBR-02-160	ø160mm	Stainless Steel	6 bolts
	DBR-02-180	ø180mm		
	DBR-02-203	ø203mm		
windCutter	DBR-03-160	ø160mm		
	DBR-03-180	ø180mm		
	DBR-03-203	ø203mm		







Disc Brake Pads with Cooling Fins

The cooling fin helps to prevent heat build-up by improving the heat dissipation and reduce the brake-pad surface temperature by 50°C No brake power fading due to overheated brake pads Exactly the same specifications as originally supplied, ensuring consistent performance Brake pad compound with high friction coefficient that offers consistent and smooth braking power









ASSORTMENT BOX TOP-20

ASSUR	LIVIEIV		105-20	
CONTENT:	DBP-11	AVID	DBP-12	MAGURA
	DBP-38	AVID	DBP-14	MAGURA
	DBP-44	AVID	DBP-36	MAGURA
	DBP-57	AVID	DBP-55	MAGURA
	DBP-31	FORMULA	DBP-10	SHIMANO
	DBP-42	FORMULA	DBP-17	SHIMANO
	DBP-01	HAYES	DBP-52	SHIMANO
	DBP-26	HAYES	DBP-64	SHIMANO
	DBP-40	HAYES	DBP-08	TEKTRO
	DBP-04	MAGURA	DBP-46	TEKTRO









WORKSHOP BOXES (25 PRS.)

Packed per 25 sets incl. spring and pin Boxes are stackable 8 different models available

DBP-10 bulk box	DBP-44 bulk box
DBP-11 bulk box	DBP-52 bulk box
DBP-17 bulk box	DBP-55 bulk box
DRP-42 bulk box	DRP-64 bulk box



- V-Brake brake shoes, cartridge
- · Aluminium pad holder
- · Silver finish
- · Length: 72mm
- · Also available in black finish



BS-301

- Pads & pins only, for BS-300
- · Length: 72mm



BS-320

- V-Brake brake shoes, cartridge
- · Aluminium pad holder
- Silver finish
- · Triple color pad
- Length: 72mm



BS-321

- Pads & pins only, for BS-320
- Length: 72mm



BS-400

- V-Brake brake shoes
- Non-symmetric post
- Length: 72mm



BS-420

- V-Brake brake shoes
- Symmetric post
- Length: 70mm



BS-440

- V-Brake brake shoes
- Non-symmetric post
- Length: 80mm
- · Specially designed for E-Bike



BS-460

- V-Brake brake shoes
- Symmetric post
- Length: 75mm
- · Specially designed for E-Bike



BS-500

- Cantilever brake shoes
- Hardened Aluminium post (non-symmetric)
- · Length: 72mm



BS-520

- · Cantilever brake shoes
- · Hardened Aluminium post (symmetric)
- Length: 70mm



BS-560

- · Cantilever brake shoes
- Symmetric post
- · Length: 55mm



BS-600

- · Road racing brake shoes, cartridge
- Shimano type
- · Aluminium pad holder
- Silver finish
- · Length: 55mm
- · Also available in black finish



BS-601

- Pads only, for BS-600
- · For Aluminium rims
- Length: 55mm



BS-620

- Road racing brake shoes
- Universal type
- Length: 50mm



BS-641

- Pads only, for BS-640
- For Aluminium rims
- Length: 55mm



BS-660

- · Road racing brake shoes, cartridge
- Campagnolo Record & Chorus -2000
- Aluminium pad holder
- · Carbon anodized finish
- Length: 55mm



BS-661

- Pads only, for BS-660
- For Aluminium rims
- Length: 55mm



BS-801

- For Magura hydraulic rim brake
- Replacement pads only
- Length: 50mm



BS-801E

- For Magura hydraulic rim brake
- · Replacement pads only
- Length: 50mm
- · Specially designed for E-Bike



WORKSHOP BOXES

- Packed per 25 sets in a sturdy plastic box
- · Boxes are stackable
- 6 different models available in a workshop box:

BS-300 bulk box BS-500 bulk box BS-400 bulk box BS-520 bulk box BS-420 bulk box BS-560 bulk box



CW-100

Brake cable, 1.6mm, galvanized steel, 19 strands, length 2250mm

CW-120

Brake cable, 1.6mm, stainless steel, 19 strands, length 2250mm





CW-200

Shift/derailleur cable, 1.2mm, galvanized steel, 19 strands, length 2100mm

CW-220

Shift/derailleur cable, 1.2mm, stainless steel, 19 strands, length 2100mm



CW-350

Shift/derailleur casing, Shimano-type stranded core, black, dia. 4mm, length 2000mm





CW-400

Complete brake cable set, galvanized steel (2250mm), including outer casing and parts

CW-420

Complete brake cable set, stainless steel (2250mm), including outer casing and parts

CW-440

Complete shift/derailleur cable set, galvanized steel (2100mm), including outer casing (Shimano-type) and parts

CW-460

Complete shift/derailleur cable set , stainless steel (2100mm), including outer casing (Shimano-type) and parts



CW-900

Brake ferrules 200 pcs. in a dispenser bottle



CW-910

Shift ferrules 150 pcs. in dispenser bottle



CW-920

Brake end caps 500 pcs. in dispenser bottle



CW-930

Shift end caps 500 pcs. in dispenser bottle







CW-600

Brake cable, 1.6mm, galvanized steel, 19 strands, with barrel (7x6) 100 pcs. of 1800mm, in workshop box

CW-620

Brake cable, 1.6mm, stainless steel, 19 strands, with barrel (7x6) 100 pcs. of 1800mm, in workshop box

CW-625

Brake cable, 1.6mm, stainless steel, 19 strands, with pear (10x6) 100 pcs. of 1800mm, in workshop box

CW-700

Shift/derailleur cable, 1.2mm, galvanized steel, 19 strands, with barrel (4x4) 100 pcs. of 2100mm, in workshop box

CW-720

Shift/derailleur cable, 1.2mm, stainless steel, 19 strands, with barrel (4x4) 100 pcs. of 2100mm, in workshop box





CW-590

V-Brake guide pipe, 90 degrees With rubber boot

CW-596

V-Brake guide pipe, flexible With rubber boot

CW-595

V-Brake guide pipe, 135 degrees With rubber boot



CW-800

Brake outer casing, universal coiled core, dia. 5mm (CW-300) 30 metres in workshop box, black

CW-810

Brake outer casing, universal coiled core, dia. 5mm (CW-310) 30 metres in workshop box, grey

Shift/derailleur casing, Shimano-type stranded core, dia. 4mm (CW-350) 30 metres in workshop box, black

CW-860

Shift/derailleur casing, Shimano-type stranded core, dia. 4mm (CW-360) 30 metres in workshop box, grey

WBC-10

TIG-welded

- Water Bottle Cage
 Aluminium #6061-T4
- 154mm length, for ~ Ø74 mm
 Ø 6.2mm Alum, wire cage
 Colors: Black or silver

- Weight: 63 gram



WBC-20

TIG-welded

Water Bottle Cage
• Aluminium #6061-T4

- 153mm length, for ~ Ø74 mm
 Ø 6.2mm Alum, wire cage
- · Colors: Black or silver
- · Weight: 68 gram



WBC-25

Aluminium Plate

- Water Bottle Cage

 One piece aluminium type, in welding free design

 120 mm length, for ~ Ø74 mm

 Colors: Black or white

- · Weight: 49 gram



WBC-30

Aluminium Plate Water Bottle Cage

- Ultra-light design by using aluminium #5052, 1.2 mm
- Rubber cap for more
- flexibility

 145 mm length,
 for ~ Ø74 mm
- Colors: Black or white
 Weight: 26 gram



WBC-40

- PC Water Bottle Cage
 Polycarbonate (PC) material
- Extended and open back side design for more flexibility
- 145 mm length,
- for ~ Ø74 mm Colors: Black or white
- Weight: 28 gram



WBC-50

Aluminium Plate Water Bottle Cage

- Welding free design
- Take the bottle from the side, for narrow bike frames
- and for left or right hand users
 130 mm length, for ~ Ø74 mm
- Color: BlackWeight: 43 gram



BP-01G

Aluminium Mini Pump with T-handle & Gauge

· Like BP-01, with additional precise in-line gauge



MG-01

- MTB/ATB 24"-26" front and rear fender
- · Clips on and off quickly
- · Incl. all necessary hardware



Pocket Aluminium Pump with In-Line Gauge

- Like BP-02, with additional precise in-line gauge
 With aluminium lever and aluminium valve cap





MG-03

- Fender for downtube of MTB 22"-26"
- Assembly by 2 anti-slip rubber woven straps



MG-04F/R

- Road bike 700C and 26" front fender
- · Light weight design
- · Quick fit by 2 long rubber straps (Front)
- · Quick release system for seat post (Rear)



MG-11F/R

- MTB 24"-26" front fender
- Suitable for suspension bikes
- · Special TPR material mudflap
- Fits steering tubes from 18.5-25.4mm (Front)
- Quick release system for seat post (Rear)



GP-01

- · Black + grey
- Length: 128mm with cutting line at 85mm



GP-02L

- · Black + grey
- Length: 128mm with black lock-on ring also available in long/short combination 128mm + 100mm (GP-02LS)



GP-03

- Black
- Length: 130mm with cutting line at 95mm



GP-04

- Black
- Length: 128mm



GP-06

- Black + gray
- Length: 125mm



GP-25/GP-26

- Brown leather
- · Length: 130mm with ti-coloured lock-on ring also available in long/short combination 130mm + 95mm (GP-26)



GP-02

- Black + grey Length: 128mm with cutting line at 90mm



GP-02LS



GP-03L

- Black
- Length: 125mm with black lock-on ring also available in long/short combination 125mm + 90mm (GP-03LS)



GP-05

- Black + grey + dark greyLength: 130mm with cutting line at 95mm



GP-07

- Black + grey
- Length: 130mm with cutting line at 95mm



GP-27 / GP-28

- Black leather
- · Length: 130mm with black lock-on ring also available in long/short combination 130mm + 95mm (GP-28)



KS-10

- · Kickstand for rear stay mount
- Material: Aluminium, ED black
 Adjustable 24" 28"



KS-20

- · Center mount kickstand (middle assy)
- Material: Aluminium, silver or ED black
 • Adjustable 24" - 28"



KS-30

- Center mount double leg kickstand
- Material: Aluminium, #6061-T6, ED black
- For bike size 28"
- Foot width 195mm

KS-35

- · Center mount double leg kickstand
- Material: Aluminium #6061silver or ED black

 • Adjustable 24" - 28"
- · Foot width 195mm





TB-01

- · Tri-bar with arm rest pads
- Material: Aluminium #6061-T6
- Powder coated black
- · Weight: 640g



MB-01

- Multibar for trekking bikesMaterial: Aluminium #6061-T6
- · Width 570mm
- Available in matt black and polished silver



MB-02

- · Foam set for Multibar
- Damping shock and vibrationLength 400mm
- · Incl. 2 handlebar plugs





AH-10

- A-head adjustable 0-60 degrees
- Material: Aluminium #6061-T6, black coated
- Bar bore size 25.4mm
- Extension 90mm



AH-12

- · A-head adjustable 0-60 degrees
- · Material: Aluminium #6061-T6, black coated
- Bar bore size 25.4mm
- Extension 130mm



AH-21

- A-head adjustable 0-60 degrees
- Material: Aluminium #6061-T6, black coated
- Bar bore size 31.8mm
- Extension 110mm



- Bar end, one piece 3D forged
- · Material: Aluminium #6061-T6, black anodized
- Length: 85mm
- · Weight: 121g

BE-30



AH-11

- A-head adjustable 0-60 degrees
- Material: Aluminium #6061-T6, black coated
- Bar bore size 25.4mm
- Extension 110mm



AH-20

- A-head adjustable 0-60 degrees
- · Material: Aluminium #6061-T6, black coated
- Bar bore size 31.8mm
- Extension 95mm



AH-22

- A-head adjustable 0-60 degrees
- Material: Aluminium #6061-T6, black coated
- Bar bore size 31.8mm
- Extension 125mm



BE-20

- Bar end, one piece 3D forged
- · Material: Aluminium #6061-T6, black anodized
- Length: 150mm
- · Weight: 134g

SSP-02

- Suspension seat post
- Material: Aluminium #6061-T6, silver anodized
- · Length 350mm, with ATB/micro adjust head
- Diameters 26.8mm and 27.2mm





HS-10

- Headset threadless 1" for road bike
- SHIS code: EC30/25.4 | EC30/26



HS-30

- Headset 1 1/8" integrated dimension 41.8 / 30
- SHIS code: IS42/28.6 | IS42/30



HS-40

- Headset 1 1/8" tapered integrated dimension 41.8/52.0-39.8
- SHIS code: IS42/28.6 | IS52/40



HS-20

- · Headset cap for 1" headsets
- Material: Aluminium #6061-T6, black anodized
- Size: 1" cap with 1" star nut
- Stainless steel screw



HS-11

- Headset threadless 1 1/8" for MTB
- SHIS code: EC34/28.6 | EC34/30



HS-35

- Headset 1 1/8" semi-integrated dimension 44 / 30
- SHIS code: ZS44/28.6 | ZS44/30



HS-45

- Headset 1 1/8" tapered semi-integrated dimension 44.0/56.0-39.8
- SHIS code: ZS44/28.6 | ZS56/40



HS-21

- Headset cap for 1 1/8" headsets
- Material: Aluminium #6061-T6, black anodized
- Size: 1 1/8" cap with 1 1/8" star nut
- Stainless steel screw









BB BOTTOM BRACKET CARTRIDGE

- With high-end sealed cartridge bearings
- Steel cups and Boron-steel spindle
- Incl. 2 bolts (CrMo 12.9)
- · Available in 14 lengths (from 103 up to 131.5mm)







• External BB set threaded, SRAM compatible

• 12.5mm for road bike, MTB&city

BB-E01/E02

- External BB set threaded, Shimano compatible
- 11.2mm (E01) for road bike and 10.2mm (E02) for MTB&city





- BB-PF01 • Press fit BB for 24mm spindle Shimano For bracket width 86.5 / 89 /92mm



BB-E03



BB-PF02

- Press fit BB for 30mm spindle SRAM / FSA
- For bracket width 68 / 73 /86.5mm



- Press fit reducer BB set
- Convert to Shimano crank (spindle 24mm)
- · For frames with BB shell width 68mm



BB-RPF02

- · Press fit reducer BB set
- · Convert to Shimano crank (spindle 24mm)
- · For frames with BB shell width 86mm



BB-6805

- Bearing set 6805
- 37 x 25 x 7mm (2 pieces)



BB-RE01

- Press fit reducer sleeve
- · Convert to BB set with external thread
- For frames with BB shell width 68mm to 73mm













Selle San Remo





MARWI Taiwan Industrial Co., Ltd.

No.56, Chongyi 3rd Rd., Dajia Dist, Taichung City, Taiwan R.O.C.

Tel: +886-4-26881234 Fax: +886-4-26882141

E-mail: info@marwi.com.tw Website: www.marwi.com.tw

MARWI Indonesia

P.T. Xerama Bicycle Industrial JI, Raya Curug Km. 2, Kp. Cisereh, Ds, Kadu Jaya, Kec. Curug, Tangerang 15810, Indonesia Tel: +62-21-5981111 +62-21-5981234 Fax: +62-21-5981570 +62-21-5980238 E-mail: info@marwi.com.tw

MARWI Europe B.V.

Corkstraat 1, 3047 AC Rotterdam, The Netherlands Tel: +31-10-2088060 E-mail: info@marwi.nl

Website: www.marwi-eu.com

MARWI EUROPE branch office CZ

Mala Velen-Jedlka 22, 40502 Decin 2, Czech Republic Tel: +420-412-586259 Fax: +420-412-586257

E-mail: info@marwi.cz Website: www.marwi.cz